

Direct Fired LPG Vaporizers



- For Propane & Butane
- ASME/ NFPA/ FM
- Two-Stage Burner Regulator
- Dual Liquid Level Control
- Piezo Igniter
- Manual Drain
- 3-Year Warranty

Item #	GPH	List
AE-50	50	\$2502.00
AE-80	80	\$4070.00
AE-120	120	\$5622.00



Senders



SD-70

These senders allow utilization of existing gasoline dashboard gauge.

Item #	List	Description
SD-70	\$56.32	Ford/Chrysler 70-10OHM
SD-90	\$58.32	General Motors 90 OHM
SD-160	\$69.32	Ford 20-150 OHM

Dual Check T-Connector

- Bulkhead-mounted unit used on two tank installations.
- Complies with UL and NFPA Pamphlet #58 specification.
- Check valves stop the flow of LP gas between two tanks, helping to prevent overfills.
- Should two tank pressures become unequal, this connector will draw LP gas from the tank with the higher pressure until both tanks equalize in pressure.



PV3866

Item#	List	Connections
PV3866	\$46.16	3/8" SAE Flare

Vacuum Fuel Lock & Filter



VFF30-2

Vacuum actuated fuel lock and filter comes complete with replaceable filter pad.

Item #	List	Description
VFF30-2	\$94.24	Vacuum Fuel Lock & Filter
RV-VFF30	\$40.36	Repair Kit
F1-10	\$4.04	Filter Pad

Squibb-Taylor® Sending Gauges



136600 Series
(Sender at LP-gas tank)

Senders and Receivers for Motor Fuel Services

Squibb- Taylor senders give both direct and remote indication of LP-gas liquid level on all makes of cars and trucks when used with either a receiver or the original equipment fuel gauge on the vehicles. The sender also works on all recreational vehicles.

Item #	List	Description
136600	\$35.00	0-90 Ohms-Sender
1366301	\$63.06	70-10 Ohms-Sender
136605	\$120.68	Sender, Analog Receiver, & 20' cable
136608	\$87.50	Universal Sender

Carburetion Fitting



HC-8346

Allows hydrostatic relief valve to be installed at most protected position. The HC-8346 has a 3/8" female flare swivel on the tank valve end. The opposite end is a two piece reusable hose fitting for 5/16" I.D. stainless steel braid L.P. hose. 5/16" I.D. x 3/8" O.D. Female Flare Swivel.

Item #	List
HC-8346	\$12.60

Century Converters

Proven and reliable Century® converters can be used on any water cooled engine and with any vacuum operated straight propane or dual fuel system.



G-85

P2335B

Converters			Gas Inlet	Gas Outlet
Type	Item #	List		
G-85	P2335B	\$178.22	1/4"	1/2"
H	P1477B	\$140.88	1/4"	3/4"
M6	P2504A	\$267.94	1/4"	3/4"
- - -	P1998*	\$145.72	1/4"	3/4"

*All Converters include electric solenoid. *P1998 is a vapor regulator*

Repair Kits		Converter	Kit
Repair Kit#	List		
286-1554	\$51.50	G-85	Minor
286-1607	\$54.64	G-85	Major
286-1608	\$59.30	H	Major
286-1332	\$74.62	M-5	Minor
286-1688	\$70.22	M-6	Minor
286-1689	\$76.66	M-6	Major

Impco Converters

Model E- LP gas converter 325 H.P.

Item #	List	Gas Inlet	Gas Outlet	Water
EB-2	\$387.10	1/4" FPT	1" FPT	3/8" FPT
RK-2	\$110.78	<i>Repair Kit - Model E w/silicon Diaphragm</i>		

Model J - LP-gas converter-2-stage - 150 H.P.

Item #	List	Gas Inlet	Gas Outlet	Water
JB-2	\$158.78	1/4" FPT	1/2" FPT	3/8" FPT
RKJ2	\$42.28	<i>Repair Kit - Model J w/silicon Diaphragm</i>		



Model E

Model K - Two stage converter for 5HP to 100HP LP-gas manual primer.

Item #	List	Gas Inlet	Gas Outlet	Water
KB-2	\$137.28	1/4" FPT	1/2" FPT	3/8" FPT
RK-K2	\$57.72	<i>Repair Kit - Model K w/silicon Diaphragm</i>		

Model L - LP gas converter 325 H.P.

Item #	List	Gas Inlet	Gas Outlet	Water
LB-2	\$267.30	1/4" FPT	1" FPT	3/8" FPT
RK-L2	\$70.54	<i>Repair Kit - Model L w/silicon Diaphragm</i>		

Model J



IMPCO Carburetors

Item #	List	Description
CA125M2	\$160.65	Straight LP carburetor for 4 & 6 cylinder engines.
CA225M2	\$204.63	Straight LP carburetor for 6 & 8 cylinder engines.
CA425M2	\$305.84	Straight LP carburetor for 8 cylinder engines.
CA300AM2	\$287.52	Duel fuel carburetor for 6 & 8 cylinder engines.
AV1-14-3	\$66.29	Air/Gas Valve W/Silicone Diaphragm CA100,125.
AV1-12-2	\$79.15	Air/Gas Valve W/Silicone lean flow CA225.
AV1-16-2	\$100.68	Air/Gas Valve W/Silicone Diaphragm CA425.
AV1-10-2	\$67.77	Air/Gas Valve W/Silicone Diaphragm CA300A.



Garretson



Model KN Regulator

The Model KN is designed for sensitivity and simple operation. It is used with low pressure vaporized gaseous fuels where dependable automatic starting is a requirement.

Model KN

The Model KN is designed for sensitivity and simple operation. It is used with low pressure vaporized gaseous fuels where dependable automatic starting is a requirement.

Item #	List	Orifice	Inlet Pressure
39-122	\$111.86	7/16"	1.4 oz.

BEAM® Converters



Model 50

Item #	List	Description
T50	\$156.36	Converter 40 HP
50ERK	\$42.10	Repair Kit Model 50
T60	\$177.18	Converter 60 HP
60-RK	\$56.10	Repair Kits
60-RBK	\$67.54	Rebuilding Kit

SV



SV Start Assist Valve

Electric solenoid, contains T-7 restricting orifice for smaller displacement engines. C2-27 power & ground connectors and F4-2 air valve vacuum port fitting. For Model E, J & L series converters.

Item #	List
SV	\$36.83

Century Filterlock

12 volt, 1/4" FPT, 60 GPH.
With filter.



P2384-B

Item #	List	Description
P2384-B	\$95.36	12 Volt filterlock
323-529	\$16.12	Replacement Coil
286-1794	\$19.58	Replacement Element

Lockoff Valve

12 Volt Gasoline
Fuelock. 1/8" FPT.



2543

Item #	List	Description
2543	\$36.42	12 volt Lockoff
323-562	\$11.16	Replacement Coil

Lockoff Valve

12 volt LPG fuel lock.
1/4" inlet and outlet.



P2341

Item #	List	Description
P2341	\$74.48	12 Volt Lockoff
323-520	\$18.00	Replacement Coil

2655 Model LTS LP Bulkhead Filter with Magnet

- 1/4" FPT inlet.
- 1/4" FPT outlet.
- 7/8" male outlet.
- Woven fitter 95-226
- 312 PSI



2655

Item #	List	Description
2655	\$72.96	Bulkhead filter
95-226	\$2.28	Replacement filter

Control Bracket

For Dash Mounting
or Controls



344

Item #	List	Description
344	\$3.62	3-hole
244	\$2.98	2-hole
144	\$2.68	1-hole

Converter Mounting Brackets

Fits H, M4, M5, M6 Converters



GB-87

Item #	List
GB-87	\$23.62

3-Way Switch

SPDT switch mounts
on dash to control LP
& gasoline valves.
Rated 20A @ 30V D.C.



5586

Item #	List	Description
5586	\$9.82	Switch

Primer Switch

Spring return button
switch operates electric
primers.



175-503

Item #	List	Description
175-503	\$10.02	Primer Switch

Trap-It

Traps all impurities.
Positive filtration
with minimum
resistance to fuel
flow. 3/8" male flare inlet, 1/4" male pipe
outlet. Element is not replaceable.



750804

Item #	List	Description
750804	\$27.26	Trap-It Filter

Vapor Hose

Neoprene-lined,
oil-and heat-resis-
tant, coil wire
support permits
free flow regardless of degree of bend.
This is non-porous vapor hose for LP-gas
and natural gas. Heavy-duty for extreme
service.



VH-58

Item #	List (per ft.)	Size	Length
VH-58	\$5.50	5/8"	10', 50'
VH-100	\$6.16	1"	10', 50'
VH-114	\$5.02	1 1/4"	10'

Bulkhead Fittings

Solid steel.
For protection of
high pressure lines.



ST-44

Item #	List	Description
ST-44	\$10.50	1/4" FPT

Straight Hose Nipple



88-SB



88-SZ

Item #	List	ID	Size
44-SZ	\$3.66	1/2"	1/2"
53-SB	\$3.88	5/8"	3/8"
54-SB	\$4.00	5/8"	1/2"
84-SZ	\$3.02	1"	1/2"
86-SZ	\$2.84	1"	3/4"
88-SZ	\$3.26	1"	1"

(Z = Zinc, B = Brass)

Hose Elbows, Zinc and Brass



88-EZ



88-EB

Item #	List	Hose NPT
53-EB	\$3.20	5/8" x 3/8"
54-EB	\$2.74	5/8" x 1/2"
54-EZ	\$2.48	5/8" x 1/2"
56-EZ	\$2.48	5/8" x 3/4"
66-EZ	\$2.66	3/4" x 3/4"
84-EZ	\$2.84	1" x 1/2"
86-EZ	\$3.06	1" x 3/4"
88-EZ	\$3.26	1" x 1"

(Z = Zinc, B = Brass)

Push-Lock Type Water Hose Fittings



6-PO

Slip on type, fits 3/8"
hose.

Item #	List	Description
6-PO	\$3.44	3/8" Flare Swivel

Vacuum Safety Switch



175-1027

Vacuum operated, UL listed safety
switches in both 2- and 3-wire models.
1/8" vacuum connection on both models.

Item #	List	Description
175-1027	\$38.82	2-Wire Switch
1501-L	\$51.32	3-Wire Switch